

acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 1 of 7

Date of revision: 01.06.2010

Product name: LIQUID ANTI-LODGING AGENT 400 SL

1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

Identification of the preparation Preparation name: Liquid Anti-Lodging Agent 400 SL

prevent lodging of winter rape and simultaneously increase the number of branching and silique, prevent excessive growth and

lodging of tomato seedlings.

Apply according to the label – instructions enclosed to container.

Company identification Makhteshim Agan Agro Poland S.A.

Sienkiewicza 4 56-120 Brzeg Dolny

phone: +48 71 794 25 07; fax: +48 71 794 21 50

E-mail address of the person responsible for drafting this MSDS:

boleslaw.rippel@ma-agro.pl marcin.hatalski@ma-agro.pl

Emergency telephone Available 24h: +48 71 794 25 55 or +48 71 794 24 41 to PCC Rokita

SA or to the local Fire Fighting Services.

2. HAZARDS IDENTIFICATION

Harmful product (Xn)

Harmful if swallowed. (R22)

Irritating to eyes. (R36)

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	Molecular	Content	Classificati	Index	CAS	EC
	formula	[g/l]	on	number	number	number
(2-Chloroethyl)trimethyl- ammoniumchloride (chlormequat chloride)	C₅H₁₃Cl₂N	400	Xn; R21/22	007-003-00-6	999-81-5	213-666-4

4. FIRST AID MEASURES

First Aid Measures Make sure that the medical personnel knows the material they are

dealing with and has all necessary protection measures available to

it.

Inhalation If inhaled, remove to fresh air. Get medical attention immediately.

Skin contact Remove contaminated clothing immediately. Flush contaminated

skin with plenty of water with soap.

Eye contact Flush eyes with plenty of water for at least 15 minutes. Get medical

attention immediately.



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 2 of 7

Date of revision: 01.06.2010

Product name:

LIQUID ANTI-LODGING AGENT 400 SL

Ingestion Do not give anything to drink. Induce vomiting. Get medical attention

immediately.

is assessing the appropriateness and effectiveness of first-aid. Further procedures depend on the status of the intoxicated patient. There is no specific antidote. Administer symptomatic treatment. Intoxicated persons should remain under medical care for at least 48

hours.

5. FIRE-FIGHTING MEASURES

Extinguishing media Fire foam and carbon dioxide and dry powder extinguishers, water

(dispersed sprays).

Extinguishing media to be avoided for safety reasons

Not known.

Specific hazards Drums exposed to flames or high temperature must be cooled with

dispersed water spray and removed from the affected area if

possible.

Special fire protection equipment

for fire fighters

The personnel directly participating in fire-fighting operations should wear proper, light clothes, protecting the skin (gas proof) and be provided with equipment isolating the airways because of the toxic burning products, such as: hydrogen chloride, carbon monoxide and

phosgene.

Additional Information None

6. ACCIDENTAL RELEASE MEASURES

Individual protective measures Do not inhale vapours. Avoid contact with substance.

Environmental protective

measures

Prevent large quantities of product from entering into sewage, underground water, surface water and soil. Notify respective

authorities in case of environmental contamination.

Cleanup Stop the leak, if possible (e.g. seal up, place any damaged container

inside an emergency container). Use a shovel or a scoop to collect substance to a closed container and handle or dispose of in accordance with respective regulations (see point 13). Rinse

contaminated surface thoroughly with water.

7. HANDLING AND STORAGE

Handling Handle as directed on the label - instruction attached to container.

Prepare working solution in volumes necessary for immediate use

only.

Handle as directed by the generally accepted rules of industrial

safety and hygiene. Keep away from unauthorised persons.



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 3 of 7

Date of revision: 01.06.2010

Product name:

LIQUID ANTI-LODGING AGENT 400 SL

Storage

Store in original, air-tight closed containers, in dry and well ventilated warehouses in temperatures from 0°C to 30°C, away from food products, animal foods, food containers, heaters and open flame sources, away from unauthorised persons, especially children. Keep away from unauthorised persons.

The substance stability period is 2 years of the date of manufacturing. After that date, substance can be used upon verification whether its parameters comply with technical requirements. In case of non-compliance, contact the manufacturer.

Special application Not known.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

chlormequat chloride
TWA - 15 mg/m³
STEL - not determined
CEIL - not determined

Personal Protective Equipment

Respiratory tract protection

Face and eye protection Hand protection

Not required in normal conditions of use.

Required (air-tight goggles in case of direct contact). Use protective gloves which comply with EN 374.

Use nitrile gloves or of similar resistance.

Time of material resistance - according to gloves manufacturer.

Skin protection Protective clothing.

Change contaminated clothing immediately.

Hygiene Wash hands and face after working with substance. Do not eat or

drink in the area where the material is being handled.

Other protective equipment

In normal conditions of use, no protective equipment of the respiratory tract is required. However, it is recommended at risk of product inhalation, e.g., when spraying. After use, decontaminate the equipment with sodium hypochlorite. Use standard protective

clothing.

Environmental hazards control

Environmental hazards should be controlled in accordance with the respective national and community environmental law.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour colourless to dark-yellow

Odour characteristic for short-chain amines

pH of 1% solution $5 \div 8$

Temperature

of crystallisationno databoiling pointca. 100°Cignitionno dataself-ignitionno data



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 4 of 7

Date of revision: 01.06.2010

Product name: LIQUID ANTI-LODGING AGENT 400 SL

Combustibility non-combustible

Explosiveness

upper and lower limits of

explosiveness

Oxidizing properties

Vapour pressure
Absolute density

n/a

none
no data
no data

Density 1.07 ÷ 1.08 g/ml

Kinematic viscosity no data
Dynamic viscosity no data
Rate of evaporation no data
Surface tension no data

Solubility

in water unlimited in organic solvents no data

Partition coefficient $P_{ow} = 0.027 \pm 0.003$ n-octanol/water $log (P_{ow}) = -1.57 \pm 0.05$

Other properties none

10. STABILITY AND REACTIVITY

Stability Stable in normal conditions

Conditions to be avoided Temperature above 30°C, sunlight.

Materials to be avoided Substance may react with strong oxidizing agents.

Dangerous decomposition

products

carbon monoxide, HCI, nitric oxides

11. TOXICOLOGICAL INFORMATION

data for Liquid Anti-Lodging Agent 675 SL

Oral acute toxicity LD_{50} in mouse = 472 mg/kg b.w.

Dermal acute toxicity LD_{50} in rabbit > 2000 mg/kg b.w.

Toxicity by inhalation LC_{50} in rat = 4800 ± 300 mg/m3 (after 4 hours of exposure)

Skin contact Product not irritating to skin.

Eyes contact Irritating to eyes.

Sensitization properties no data

Chronic toxicity no data

Reproductive toxicity no data



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 5 of 7

Date of revision: 01.06.2010

Product name: LIQUID ANTI-LODGING AGENT 400 SL

12. ECOLOGICAL INFORMATION

data for Liquid Anti-Lodging Agent 675 SL

Ecotoxicity

Toxicity for aquatic organisms Carp (Cyprinus carpio)

 $LC_{50} = 2665$ mg/l (after 96 hrs) Daphnia magna (*Daphnia magna*) $EC_{50} = 160$ mg/l (after 24 hrs) $EC_{50} = 140$ mg/l (after 48 hrs) Algae (*Scenedesmus quadricauda*) $IC_{50} = 295$ mg/l (after 72 hrs)

Toxicity for bees Alimentary apitoxicity

LD₅₀ > 100 μg/bee Dorsal contact apitoxicity LD₅₀ > 1000 μg/bee

Toxicity for earthworms $LC_{50} > 1000 \text{ mg/kg}$ of dry mass of artificial base after 7 and 14 days

of experiment

Toxicity for birds Japanese quail (Coturnix coturnix japonica)

 $LD_{50} = 415.2 \text{ mg/kg b.w.}$

Movement no data

Stability and decomposition no data

Ability to bioaccumulate $logP_{ow} = -1.57$ (for chlormequat chloride)

13. DISPOSAL CONSIDERATIONS

Product Do not dump into any sewers. Prevent from entering into surface

water and underground water. Do not dump into any neutral waste dumping site. Recycling or disposal of waste product must be in compliance with all legal regulations (the Waste Act) and be carried out in installations or devices which comply with the applicable

requirements (licensed plants or the manufacturer).

Waste code - 02 01 08*

Packaging Empty packaging should be treated as a dangerous waste. Re-use is

permitted after thorough washing with water or other equivalent cleanup procedure. Preferably, packaging should be washed immediately after emptying. Recycling or disposal of such a packaging must be in compliance with all legal regulations

(Packaging and Packaging Waste Act).

Waste code - 15 01 10*

14. TRANSPORT INFORMATION

Land Transport ADR/RID Not subject to regulations concerning transportation of dangerous

goods ADR and RID.



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 6 of 7

Date of revision: 01.06.2010

Product name:

LIQUID ANTI-LODGING AGENT 400 SL

Sea transport IMDG Not subject to regulations concerning transportation of dangerous

goods IMDG.

Air transport ICAO-TI and IATA-DGR

no information

15. REGULATORY INFORMATION

Packaging marking

acc. to the Regulation of the Minister of Health of 5 March 2009 on marking packaging for dangerous substances, dangerous preparations and some chemical preparations (Journal of Laws of 2009, No. 53 item 439, as amended).



Harmful product (Xn) contains chloride

Risk phrases – indicating risks	R22 R36	Harmful if swallowed. Irritating to eyes.
Safety phrases – indicating conditions for safe use	S2 S13 S20/21 S23 S24/25 S26	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Do not breathe sprayed liquid. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with
	\$36/37/39 \$46	plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If swallowed, seek medical advice immediately and show this container or label.

This Material Safety Data Sheet was drafted and filled out according to the following legal regulations:

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) of 18 December 2006;

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) 1907/2006;

Act on chemical substances and preparations of 11 January 2001 (Journal of Laws of 2001, No. 11, item 84, as amended);

Regulation of the Minister of Agriculture and Rural Development of June 8, 2004 on the requirements for the content of the label-instruction of plant pesticide applications. Journal of Laws of 2004, no. 141, item 1498, as amended);

Regulation of the Minister of Health of 4 September 2007 amending the regulation on criteria and chemical substances and preparations classification (Journal of Laws of 2007 no 174, item 1222, as amended);

Act on packaging and waste packaging of 11 May 2001 (Journal of Laws of 2001, No. 63, item 638, as amended);

Regulation of the Minister of Labour and Welfare concerning permissible exposure limit and occupational exposure limits of 29 November 2002 (Journal of Laws of 2002, No. 217, item 1833, as amended);

Wastes Management Act of 27 April 2001 (Journal of Laws No. 62, item 628, as amended);

Dangerous Goods Road Transport Act of 28 October 2002. (Journal of Laws of 2002, No. 199, item 1671, as amended); Act of 31 March 2004 on Transport of Dangerous Goods by Rail. (Journal of Laws of 2004, No. 97, item 962, as amended);

Statement of the Government as of 26 July 2005 concerning coming into force amendments to the Appendices A and B



acc. to Regulation (EC) no.1907/2006

Date of issue: 09.03.2009 Version: 2 Page 7 of 7

Date of revision: 01.06.2010

Product name:

LIQUID ANTI-LODGING AGENT 400 SL

to the European Agreement concerning the International Transport of Dangerous Goods by Road (ADR), concluded in Geneva on 30 September 1957 (Journal of Laws of 2005 no. 178, item 1481, as amended); Regulation of the Minister of Health of 5 March 2009 on marking packaging for dangerous substances, dangerous

preparations and some chemical preparations (Journal of Laws of 2009, No. 53, item 439, as amended).

16. OTHER INFORMATION

Risk phrases

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed. R36 Irritating to eyes.

Required training Contractors handling this substance should read the label on product

container.

Recommended limits

of application

For agricultural use only.

Further information Manufacturer or distributor

Sources of key data

Own studies and available literature data

Changes in the MSDS Changes in point 1, 9, 11, 12, MSDS layout changes.

Sheet refer solely to a specific technical product and cannot be

referred to after its processing.

In the case of combined use with other substances/mixtures, take into account all notes and remarks on their labels and in MSDSs.

The above information has been prepared following our most recent and up-to-date knowledge and it describes the product from the point of view of health and natural environment protection requirements and with regards to safe use principles. This information should not, however, be interpreted as any guarantee of specific product properties.